AUTHOR INDEX

Volume 89 • 2002

Abe, K. *See* Morita, H.
Ago, Y. *See* Sakaue, M.
Akazawa, A., Nishikawa, K., Suzuki, K., Asano, R., Kumadaki, I., Satoh, H., Hagiwara, K., Shin, S.J. and Yano, T.
TE-induced apoptosis in a breast cancer cell 417
Aoki, Y. *See* Ozaki, Y.
Arai, I. *See* Shimazoe, T.
Arai, Y. *See* Sugimoto, H.
Asakawa, T. *See* Luo, S.
Asano, R. *See* Akazawa, A.
Ayajiki, K., Okamura, T., Noda, K. and Toda, N.
Nitroxidergic nerve and pulmonary vessel 197
Azuma, Yasutaka *See* Wang, P.-L.
Azuma, Yoshiaki *See* Ito, M.

Baba, A. *See* Sakaue, M.
— *See Takuma, K.*
Balkay, L. *See* Márián, T.
Boros, I. *See* Márián, T.
Boussery, K. *See* Mitamura, M.

Chang, W.-C. *See* Yu, Y.-M.
Chen, A.F., Ren, J. and Miao, C.-Y.
NOS gene therapy and cardiovascular disease 327
Chen, C.-F. *See* Ueng, Y.-F.
Chiba, S. *See* Tsuboi, M.
— *See* Yang, X.-P.
Chou, T.-C., Yang, S.-P. and Pei, D.
Amlodipine inhibits iNOS induction in VSMC 157

Dohi, S. *See* Suzuki, Motohisa
Doi, Y. *See* Shimazoe, T.
Don, M.-J. *See* Ueng, Y.-F.

Enomoto, R. *See* Takuma, K.

Fujii, T. *See* Wang, P.-L.
Fujii, Y. *See* Hasegawa, M.
Fukumoto, T. *See* Shimazoe, T.
Funakoshi, A. *See* Sato, N.
Furukawa, Y. *See* Tsuboi, M.

Gáspár, R. *See* Márián, T.
Guan, J.-L. *See* Wang, Q.-P.

Haga, T. *See* Tsuga, H.
Hagiwara, K. *See* Akazawa, A.
Hara, Y. *See* Ozaki, Y.
Hasegawa, A., Kawaguchi, Y., Nakasa, H., Nakamura, H., Ohmori, S., Ishii, I. and Kitada, M.
Effect of *Kampo* on drug oxidation 164
Hasegawa, M.; Sasaki, T.; Sadakane, K.; Tabuchi, M.; Takeda, Y.; Kimura, Masayuki; and Fujii, Y.
The emetic mechanisms of ipecac syrup 113
Hashimoto, K. *See* Saitoh, M.
— *See* Yoneyama, M.
Hayakawa, K. *See* Kimura, Masayuki
Hayashi, T. *See* Sakurada, S.
Hiraide, A. *See* Suzuki, Motohisa
Hirose, M. *See* Tsuboi, M.
Hisaoka, K. *See* Nishio, H.
Honma, T. *See* Tsuga, H.
Horie, S. *See* Mitamura, M.
— *See* Tsuchiya, S.

Iida, Y. *See* Kawashima, H.
Iimura, Y. *See* Sugimoto, H.
Ikegaya, Y. and Matsuki, N.
Vasopressin and vomiting 324
Imagawa, T. *See* Saeki, K.
Imaizumi, Y. *See* Yamamura, H.
Imuro, Y. *See* Miyoshi, H.
Inoue, R. *See* Morita, H.
Ishibashi, T., Wakabayashi, J. and Ohno, Y.
7-OH-DPAT-induced c-fos expression 309
Ishihara, K. *See* Mukai, S.
Ishii, I. *See* Hasegawa, A.
Ishikami, H. *See* Nagamatsu, T.
Ito, M.; Azuma, Yoshiaki; Takagi, H.; Komoriya, K.; Ohta, T.; and Kawaguchi, H.
Combined effects of alendronate and 1α(OH)D_3 255
Ito, Y. *See* Morita, H.
Itoh, H. *See* Kawao, N.
Iwanaga, Y. *See* Saito, T.
Iwasaka, T. *See* Miyoshi, H.
Izuoka, T. *See* Miyoshi, H.

Jimi, A. *See* Sato, N.

Kaibara, M. *See* Yoshida, A.
Kamei, J. *See* Morita, K.
Kanai, S. *See* Sato, N.
Kang, J. *See* La, J.
Karaki, H. *See* Ozaki, H.
Kato, H. *See* Saito, T.
Kato, I. *See* Ozaki, Y.
Kato, S. and Takeuchi, K.
Gastric mucosa in adjuvant arthritic rats 1
Kato, Y. *See* Ozaki, Y.
Kawabata, A. *See* Kawao, N.
Kawaguchi, H. *See* Ito, M.
Kawaguchi, Y. *See* Hasegawa, A.
Kawao, N., Shimada, C., Itoh, H., Kuroda, R.; and Kawabata, A.
PAR-2, capsaicin receptor and pain 184
Kawashima, H.; Iida, Y.; Kitamura, Youji; Kiyono, Y.; Magata, Y.; and Saji, H.
Brain extracion of HPP^+ 426
Kikuchi, M. *See* Wang, P.-L.
Kim, H. *See* La, J.
Kim, T. *See* La, J.
Kimura, J. *See* Watano, T.
Kimura, Masayuki *See* Hasegawa, M.
Kimura, Masayuki; Hayakawa, K.; and Sansawa, H.
Hypotensive effect of GABA 388
Kitada, M. *See* Hasegawa, A.
Kitamura, Youji *See* Kawashima, H.
Kitamura, Yukika *See* Suzuki, Motohisa
Kitashiro, S. *See* Miyoshi, H.
Kiyono, Y. *See* Kawashima, H.

AUTHOR INDEX

Volume 89 • 2002

Abe, K. *See* Morita, H.
Ago, Y. *See* Sakaue, M.
Akazawa, A., Nishikawa, K., Suzuki, K., Asano, R., Kumadaki, I., Satoh, H., Hagiwara, K., Shin, S.J. and Yano, T.
TE-induced apoptosis in a breast cancer cell 417
Aoki, Y. *See* Ozaki, Y.
Arai, I. *See* Shimazoe, T.
Arai, Y. *See* Sugimoto, H.
Asakawa, T. *See* Luo, S.
Asano, R. *See* Akazawa, A.
Ayajiki, K., Okamura, T., Noda, K. and Toda, N.
Nitroxidergic nerve and pulmonary vessel 197
Azuma, Yasutaka *See* Wang, P.-L.
Azuma, Yoshiaki *See* Ito, M.

Baba, A. *See* Sakaue, M.
— *See Takuma, K.*
Balkay, L. *See* Márián, T.
Boros, I. *See* Márián, T.
Boussery, K. *See* Mitamura, M.

Chang, W.-C. *See* Yu, Y.-M.
Chen, A.F., Ren, J. and Miao, C.-Y.
NOS gene therapy and cardiovascular disease 327
Chen, C.-F. *See* Ueng, Y.-F.
Chiba, S. *See* Tsuboi, M.
— *See* Yang, X.-P.
Chou, T.-C., Yang, S.-P. and Pei, D.
Amlodipine inhibits iNOS induction in VSMC 157

Dohi, S. *See* Suzuki, Motohisa
Doi, Y. *See* Shimazoe, T.
Don, M.-J. *See* Ueng, Y.-F.

Enomoto, R. *See* Takuma, K.

Fujii, T. *See* Wang, P.-L.
Fujii, Y. *See* Hasegawa, M.
Fukumoto, T. *See* Shimazoe, T.
Funakoshi, A. *See* Sato, N.
Furukawa, Y. *See* Tsuboi, M.

Gáspár, R. *See* Márián, T.
Guan, J.-L. *See* Wang, Q.-P.

Haga, T. *See* Tsuga, H.
Hagiwara, K. *See* Akazawa, A.
Hara, Y. *See* Ozaki, Y.
Hasegawa, A., Kawaguchi, Y., Nakasa, H., Nakamura, H., Ohmori, S., Ishii, I. and Kitada, M.
Effect of *Kampo* on drug oxidation 164
Hasegawa, M.; Sasaki, T.; Sadakane, K.; Tabuchi, M.; Takeda, Y.; Kimura, Masayuki; and Fujii, Y.
The emetic mechanisms of ipecac syrup 113
Hashimoto, K. *See* Saitoh, M.
— *See* Yoneyama, M.
Hayakawa, K. *See* Kimura, Masayuki
Hayashi, T. *See* Sakurada, S.
Hiraide, A. *See* Suzuki, Motohisa
Hirose, M. *See* Tsuboi, M.
Hisaoka, K. *See* Nishio, H.
Honma, T. *See* Tsuga, H.
Horie, S. *See* Mitamura, M.
— *See* Tsuchiya, S.

Iida, Y. *See* Kawashima, H.
Iimura, Y. *See* Sugimoto, H.
Ikegaya, Y. and Matsuki, N.
Vasopressin and vomiting 324
Imagawa, T. *See* Saeki, K.
Imaizumi, Y. *See* Yamamura, H.
Imuro, Y. *See* Miyoshi, H.
Inoue, R. *See* Morita, H.
Ishibashi, T., Wakabayashi, J. and Ohno, Y.
7-OH-DPAT-induced c-fos expression 309
Ishihara, K. *See* Mukai, S.
Ishii, I. *See* Hasegawa, A.
Ishikami, H. *See* Nagamatsu, T.
Ito, M.; Azuma, Yoshiaki; Takagi, H.; Komoriya, K.; Ohta, T.; and Kawaguchi, H.
Combined effects of alendronate and 1α(OH)D_3 255
Ito, Y. *See* Morita, H.
Itoh, H. *See* Kawao, N.
Iwanaga, Y. *See* Saito, T.
Iwasaka, T. *See* Miyoshi, H.
Izuoka, T. *See* Miyoshi, H.

Jimi, A. *See* Sato, N.

Kaibara, M. *See* Yoshida, A.
Kamei, J. *See* Morita, K.
Kanai, S. *See* Sato, N.
Kang, J. *See* La, J.
Karaki, H. *See* Ozaki, H.
Kato, H. *See* Saito, T.
Kato, I. *See* Ozaki, Y.
Kato, S. and Takeuchi, K.
Gastric mucosa in adjuvant arthritic rats 1
Kato, Y. *See* Ozaki, Y.
Kawabata, A. *See* Kawao, N.
Kawaguchi, H. *See* Ito, M.
Kawaguchi, Y. *See* Hasegawa, A.
Kawao, N., Shimada, C., Itoh, H., Kuroda, R.; and Kawabata, A.
PAR-2, capsaicin receptor and pain 184
Kawashima, H.; Iida, Y.; Kitamura, Youji; Kiyono, Y.; Magata, Y.; and Saji, H.
Brain extracion of HPP^+ 426
Kikuchi, M. *See* Wang, P.-L.
Kim, H. *See* La, J.
Kim, T. *See* La, J.
Kimura, J. *See* Watano, T.
Kimura, Masayuki *See* Hasegawa, M.
Kimura, Masayuki; Hayakawa, K.; and Sansawa, H.
Hypotensive effect of GABA 388
Kitada, M. *See* Hasegawa, A.
Kitamura, Youji *See* Kawashima, H.
Kitamura, Yukika *See* Suzuki, Motohisa
Kitashiro, S. *See* Miyoshi, H.
Kiyono, Y. *See* Kawashima, H.

Komoriya, K. *See* Ito, M.
Kondo, T. *See* Tabuchi, Y.
Kowashi, Y. *See* Wang, P.-L.
Koyama, Y. *See* Sakaue, M.
Krasznai, Z. *See* Márián, T.
Kumadaki, I. *See* Akazawa, A.
Kunimatsu, K. *See* Ozaki, Y.
Kurabayashi, M. *See* Nakamura, T.
Kuro-o, M. *See* Nakamura, T.
Kuroda, R. *See* Kawao, N.
Kurogouchi, F. *See* Tsuboi, M.
Kurosaki, E.; Momose, K.; Nakano, R.; Shimaya, A.; Suzuki, Takayuki; Shibasaki, M.; and Shikama, H.
YM440 as an insulin sensitizer 274

La, J., Kim, T., Sung, T., Kang, J., Song, H., Kim, H.; and Yang, I.
NO-induced contraction of gastric fundus 395
Lee, E. *See* Takuma, K.
Luo, S., Takano, M. and Asakawa, T.
Regulation of membrane guanylate cyclase 72

Magata, Y. *See* Kawashima, H.
Márián, T., Rubovszky, B., Szentmiklósi, A.J., Trón, L., Balkay, L., Boros, I., Gáspár, R., Székely, A. and Krasznai, Z.
A_2 receptor ligands regulate membrane potential 366
Masuda, H. *See* Nakamura, T.
Matsuda, T. *See* Sakaue, M.
— *See* Takuma, K.

Matsuki, N. *See* Ikegaya, Y.
Matsumoto, H. *See* Nakamura, Y.
Matsumoto, T. *See* Saeki, K.
Matsumura, Y. *See* Ohkita, M.
Matsuoka, I. *See* Watano, T.
Matsuura, A. *See* Suzuki, Motohisa
Miao, C.-Y. *See* Chen, A.F.
Mimura, J. *See* Miyoshi, H.
Mishima, H.K. *See* Mukai, S.
Mitamura, M., Boussery, K., Horie, S., Murayama, T. and Van de Voorde, J.
Mesaconitine-induced vasorelaxation 380
Miyasaka, K. *See* Sato, N.
Miyata, M., Tamura, E. and Yamazoe, Y.
Detection system of embryo toxicity 320
Miyoshi, H., Takayama, Y., Kitashiro, S., Izuoka, T., Saito, D., Imuro, Y., Mimura, J., Yamamoto, S., Tokioka, M. and Iwasaka, T.
Infarct size and AT_1 antagonist 120
Mizoguchi, H.; Tseng, L.F.; Suzuki, Tsutomu; Sora, I.; and Narita, M.
G-protein and endogenous μ-peptides 229
Mizutani, F. *See* Saito, T.
Momose, K. *See* Kurosaki, E.
Mori, K. *See* Takuma, K.
Mori, S. *See* Suzuki, Motohisa
Morikawa, K. *See* Saito, T.
Morimoto, Y. *See* Nishio, H.
Morita, H., Abe, K., Ito, Y. and Inoue, R.
M_5 receptor potentiates L-type Ca^{2+} current 356
Morita, K., Onodera, K. and Kamei, J.
Antitussive effect of inhaled pinacidil 171
Mukai, S., Mishima, H.K., Shoge, K., Shinya, M., Ishihara, K. and Sasa, M.
Inotropic glutamate receptor subtypes 44
Muraki, K. *See* Yamamura, H.
Murayama, T. *See* Mitamura, M.

Nabeshima, Y. *See* Nakamura, T.
Nagai, R. *See* Nakamura, T.
Nagamatsu, T., Ishikami, H., Nishiyama, T. and Suzuki, Y.
COX-2 expression in glomeruli 373
Nagatomo, T. *See* Rashid, M.
Nakajima, K. *See* Tsuboi, M.
Nakamichi, N. and Yoneda, Y.
Brain transcription factors and drugs 337
Nakamura, H. *See* Hasegawa, A.
Nakamura, T., Saito, Y., Ohyama, Y., Masuda, H., Sumino, H., Kuro-o, M., Nabeshima, Y., Nagai, R. and Kurabayashi, M.
Nitric oxide and aging mice 149
Nakamura, Y., Matsumoto, H. and Todoki, K.
Vasorelaxation of black currant extracts 29
Nakano, R. *See* Kurosaki, E.
Nakasa, H. *See* Hasegawa, A.
Nakata, Y. *See* Nishio, H.
Nakazawa, M. *See* Rashid, M.
Nakazawa, T. *See* Saitoh, M.
Narita, M. *See* Mizoguchi, H.
Narita, M. and Sakurada, S.
Current topics for μ-opioidergic system 201
Narita, M.; Ozaki, S.; and Suzuki, Tsutomu
Motivational effect of endomorphins 224
Nishihara, B. *See* Sakaue, M.
Nishikawa, K. *See* Akazawa, A.
Nishio, H., Morimoto, Y., Hisaoka, K., Nakata, Y. and Watanabe, T.
5-HT-induced tachycardia in guinea pig 242
Nishiyama, T. *See* Nagamatsu, T.
Noda, K. *See* Ayajiki, K.
Noda, T. *See* Sato, N.
Nojiri, R. *See* Ohkita, M.

Obi, I. *See* Saeki, K.
Ogawa, K. *See* Watano, T.
Ogiku, N. *See* Saeki, K.
Ogura, H. *See* Sugimoto, H.
Ohkita, M., Takaoka, M., Shiota, Y., Nojiri, R., Sugii, M. and Matsumura, Y.
NF-κB and endothelin-1 81
Ohmori, S. *See* Hasegawa, A.
Ohno, Y. *See* Ishibashi, T.
Ohta, M. *See* Sato, N.
Ohta, T. *See* Ito, M.
Ohura, K. *See* Wang, P.-L.
Ohya, S. *See* Yamamura, H.
Ohyama, Y. *See* Nakamura, T.
Oido-Mori, M. *See* Wang, P.-L.
Okamura, T. *See* Ayajiki, K.
Onodera, K. *See* Morita, K.
Ozaki, H. and Karaki, H.
Smooth muscle organ culture 93
Ozaki, S. *See* Narita, M.
Ozaki, Y., Kunimatsu, K., Hara, Y., Kato, I., Aoki, Y., Yamamoto, K. and Kato, Y.
Medullasin in rat gingival overgrowth 235

Pei, D. *See* Chou, T.-C.
Peng, H.-C. *See* Ueng, Y.-F.
Phuagphong, P. *See* Takuma, K.

Rashid, M., Nakazawa, M. and Nagatomo, T.
Sarpogrelate and 5-HT-induced relaxation 405
Ren, J. *See* Chen, A.F.
Rubovszky, B. *See* Márián, T.

S.-Yamashita, Y. *See* Yoshida, A.
Sadakane, K. *See* Hasegawa, M.
Saeki, K., Obi, I., Ogiku, N., Shigekawa, M., Imagawa, T. and Matsumoto, T.
Cardioprotective effects of 9HE 21
Saito, D. *See* Miyoshi, H.
Saito, T., Mizutani, F., Iwanaga, Y., Morikawa, K. and Kato, H.
A hydrophilic polymer for bowel movement 133
Saito, Y. *See* Nakamura, T.
Saitoh, M., Sugiyama, A., Nakazawa, T. and Hashimoto, K.
Cardiovascular effects of HNS-32 316
Saji, H. *See* Kawashima, H.
Sakamoto, K. *See* Yamamura, H.
Sakamoto, Y. *See* Sakaue, M.
Sakaue, M., Ago, Y., Sowa, C., Sakamoto, Y., Nishihara, B., Koyama, Y., Baba, A. and Matsuda, T.
Modulation of aggression by 5-HT_{2A} receptors 89
Sakurada, S. *See* Narita, M.
Sakurada, S., Hayashi, T. and Yuhki, M.
Antinociception of endomorphin-1 and -2 221
Sansawa, H. *See* Kimura, Masayuki
Sasa, M. *See* Mukai, S.
Sasaki, T. *See* Hasegawa, M.
Sato, K. *See* Suzuki, Motohisa
Sato, N., Suzuki, S., Kanai, S., Ohta, M., Jimi, A., Noda, T., Takiguchi, S., Funakoshi, A. and Miyasaka, K.
Trypsin inhibitor and pancreas 290
Sato, T. *See* Suzuki, Motohisa
Satoh, H. *See* Akazawa, A.
Satoh, Y. *See* Yoneyama, M.
Shibasaki, M. *See* Kurosaki, E.
Shigekawa, M. *See* Saeki, K.
Shikama, H. *See* Kurosaki, E.
Shimada, C. *See* Kawao, N.
Shimaya, A. *See* Kurosaki, E.
Shimazoe, T., Doi, Y., Arai, I., Yoshimatsu, A., Fukumoto, T. and Watanabe, S.
mGluR and sensitization 85
Shin, S.J. *See* Akazawa, A.
Shinohara, M. *See* Wang, P.-L.
Shinya, M. *See* Mukai, S.
Shioda, S. *See* Wang, Q.-P.
Shiota, Y. *See* Ohkita, M.
Shoge, K. *See* Mukai, S.
Song, H. *See* La, J.
Sora, I. *See* Mizoguchi, H.
Sowa, C. *See* Sakaue, M.
Suetsugu, Y. *See* Wang, P.-L.
Sugii, M. *See* Ohkita, M.
Sugimoto, H., Ogura, H., Arai, Y., Iimura, Y. and Yamanishi, Y.
Research of donepezil hydrochloride 7
Sugiyama, A. *See* Saitoh, M.
— *See* Yoneyama, M.
Sumino, H. *See* Nakamura, T.
Sung, T. *See* La, J.
Suzuki, K. *See* Akazawa, A.
Suzuki, Mayumi *See* Suzuki, Motohisa
Suzuki, Motohisa; Suzuki, Mayumi; Kitamura, Yukika; Mori, S.; Sato, K.; Dohi, S.; Sato, T.; Matsuura, A.; and Hiraide, A.
Protective effect of BHB on brain damage 36
Suzuki, S. *See* Sato, N.
Suzuki, Takayuki *See* Kurosaki, E.
Suzuki, Tsutomu *See* Mizoguchi, H.
— *See* Narita, M.
Suzuki, Y. *See* Nagamatsu, T.
Székely, A. *See* Márián, T.
Szentmiklósi, A.J. *See* Márián, T.

Tabuchi, M. *See* Hasegawa, M.
Tabuchi, Y., Zhao, Q.-L. and Kondo, T.
Genes elicited by bisphenol A 413
Takagi, H. *See* Ito, M.
Takano, M. *See* Luo, S.
Takaoka, M. *See* Ohkita, M.
Takayama, Y. *See* Miyoshi, H.
Takeda, Y. *See* Hasegawa, M.
Takeuchi, K. *See* Kato, S.
Takiguchi, S. *See* Sato, N.
Takuma, K., Phuagphong, P., Lee, E., Enomoto, R., Mori, K., Baba, A. and Matsuda, T.
Protection by NO of astrocyte apoptosis 64
Tamura, E. *See* Miyata, M.
Tanaka, J. *See* Wang, P.-L.
Tanaka, N. *See* Yoshida, A.
Taniyama, K. *See* Yoshida, A.
Thomas, J.A.
Drugs for erectile dysfunction 101
Toda, N. *See* Ayajiki, K.
Todoki, K. *See* Nakamura, Y.
Tokioka, M. *See* Miyoshi, H.
Trón, L. *See* Márián, T.
Tsai, C.E. *See* Yu, Y.-M.
Tseng, L.F.
Endomorphin-induced antinociception 216
Tseng, L.F. *See* Mizoguchi, H.
Tseng, Y.-H. *See* Yu, Y.-M.
Tsuboi, M., Furukawa, Y., Kurogouchi, F., Nakajima, K., Hirose, M. and Chiba, S.
Botulinum toxin on cardiac ganglia 249
Tsuchiya, S., Horie, S. and Watanabe, K.
Gastric acid secretion by NO donors 126
Tsuga, H., Haga, T. and Honma, T.
Toluene and human muscarinic receptors 282

Ueng, Y.-F., Don, M.-J., Peng, H.-C., Wang, S.-Y., Wang, J.-J. and Chen, C.-F.
Effects of *Wu-chu-yu-tang* on cytochrome P450 267

Van de Voorde, J. *See* Mitamura, M.

Wakabayashi, J. *See* Ishibashi, T.
Wang, J.-J. *See* Ueng, Y.-F.
Wang, P.-L.; Oido-Mori, M.; Fujii, T.; Kowashi, Y.; Kikuchi, M.; Suetsugu, Y.; Tanaka, J.; Azuma, Yasutaka; Shinohara, M.; and Ohura, K.
Role of LPS and CD14 in periodontitis 176
Wang, Q.-P., Zadina, J.E., Guan, J.-L. and Shioda, S.
Endomorphin-containing neurons 209
Wang, S.-Y. *See* Ueng, Y.-F.
Watanabe, K. *See* Tsuchiya, S.
Watanabe, S. *See* Shimazoe, T.
Watanabe, T. *See* Nishio, H.
Watano, T., Matsuoka, I. and Kimura, J.
Effects of metals on $P2X_7$ receptor 296
Watano, T., Matsuoka, I., Ogawa, K. and Kimura, J.
Anions on ATP-induced $[Ca^{2+}]_i$ increases 302
Wu, C.-H. *See* Yu, Y.-M.

Yamamoto, K. *See* Ozaki, Y.
Yamamoto, S. *See* Miyoshi, H.
Yamamura, H., Sakamoto, K., Ohya, S., Muraki, K. and Imaizumi, Y.

BK channel activation by NDGA 53
Yamanishi, Y. *See* Sugimoto, H.
S.-Yamashita, Y. *See* Yoshida, A.
Yamazoe, Y. *See* Miyata, M.
Yang, I. *See* La, J.
Yang, S.-P. *See* Chou, T.-C.
Yang, X.-P. and Chiba, S.
L-765,314 on PNS-induced responses 429
NPY receptor inhibition on ω-CTX action 188
Yano, T. *See* Akazawa, A.
Yoneda, Y. *See* Nakamichi, N.
Yoneyama, M., Sugiyama, A., Yoshida, H., Satoh, Y. and Hashimoto, K.
Cardiovascular effects of L-158,809 192
Yoshida, A., S.-Yamashita, Y., Kaibara, M., Taniyama, K. and Tanaka, N.
5-HT_4 receptor in urinary bladder 349
Yoshida, H. *See* Yoneyama, M.
Yoshida, N. *See* Yoshikawa, T.
Yoshikawa, T. and Yoshida, N.
Role of DA in morphine-induced emesis 422
Yoshimatsu, A. *See* Shimazoe, T.
Yu, Y.-M., Wu, C.-H., Tseng, Y.-H., Tsai, C.E. and Chang, W.-C.
Antioxidant and atherosclerosis 142
Yuhki, M. *See* Sakurada, S.

Zadina, J.E.
Endomorphin isolation and distribution 203
Zadina, J.E. *See* Wang, Q.-P.
Zhao, Q.-L. *See* Tabuchi, Y.

SUBJECT INDEX

Volume 89 • 2002

A_1 adenosine receptor 366
A_2 adenosine receptor 366
Acetylcholine release 349
Acetylcholinesterase inhibitor 7
Acid secretion 126
Aconitum japonicum 380
Adenylyl cyclase 282
Adjacent region 120
Adjuvant arthritis 1
α-Adrenoceptor 188
α_1-Adrenoceptor subtype 429
Aggression 89
Alendronate 255
Alprostadil 101
Alzheimer's disease 7
4-Amino-2-[4-[1-(benzyloxycarbonyl)-2(*S*)-[[(1,1-dimethylethyl)amino] carbonyl]-piperazinyl]-6,7-dimethoxy-quinazoline] (L-765,314 hydrochloride) 429
γ-Aminobutyric acid 388
γ-Aminobutyric acid receptor 388
Amlodipine 157
Angiotensin II 192
Angiotensin II type 1 receptor antagonist 120
Animal model 176
Antinociception 216
Antitussive drug, peripherally acting non-narcotic 171
Antitussive effect 171
Apomorphine 101
Apoptosis 64, 417
Arrhythmia 21
Astrocyte 64
AT_1 antagonist 120
Atherosclerotic lesion 142
ATP 72, 296, 302
ATP-sensitive K^+ channel 171
Atrium, guinea pig 242
Autacoid 337
Autoradiography, receptor 349
Azulene 316
Azulene-1-carboxamidine derivative (HNS-32) 316

Barely leaf essence 142
Bisphenol A 413
Black currant 29
Blood-brain barrier 426
Blood pressure 388
Botulinum toxin 249
Bowel disorder, functional 133
Bowel movement 133
Bowel syndrome, irritable 133
Bradycardia 249
Breast cancer cell 417

Ca^{2+}-activated K^+ channel 53
Ca^{2+} channel, L-type 395
Ca^{2+} channel, ryanodine-sensitive 395
Calcitonin gene-related peptide 242
Cancer cell, breast 417
Capsazepine 184
Cardiovascular disease 327
Cardiovascular effect 316
Cation current, nonselective 296
CCK 290
CCK-A receptor 290
CD14 176
Celecoxib 1
Central nervous system 126
Cephaeline 113
Cerebellum 309
Cerebroprotection 36
cGMP 64
Chemiluminescence 142
4-(4-Chlorophenyl)-1-[4-(4-fluorophenyl)-4-oxobutyl]pyridinium ion (HPP^+) 426
Cholecystokinin 290
Cholecystokinin-A receptor 290
Cholinergic neurotransmission 249
Combined treatment 255
Coronary artery, porcine 405
Coronary artery smooth muscle 53
Cough reflex 171
Culture 44
N-2-(Cyclohexyloxy-4-nitrophenyl) methane sulfonamide (NS-398) 373
Cyclooxygenase-2 373
Cytokine 157

DDT1 MF-2 cell 366
Descending pain control system 216
N-(*N'*-*N'*-Diisopropylaminoethyl)-[2-(2-hydroxy-4,5-dimethoxybenzoylamino)-1,3-thiazole-4-yl]carboxyamide monohydrochloride trihydrate (Z-338) 356
N^1,N^1-Dimethyl-N^2-(2-pyridylmethyl)-5-isopropyl-3,8-dimethylazulene-1-carboxamidine (HNS-32: azulene-1-carboxamidine derivative) 316
Dithiothreitol 72
Donepezil 7
Dopamine 85
Dopamine D_3 receptor 309
Dopaminergic neuronal toxicity 426
Drug dependence 337
Drug oxidation 164
Drug-metabolizing enzyme 267
Dynorphin A-(1 – 17) 221

Electrical stimulation, perivascular nerve 188, 429
Embryo fibroblast 320
Embryo toxicity 320
Emesis 113, 422
Emetine 113
Endomorphin 209, 221, 229
Endomorphin-1 203, 216, 224
Endomorphin-2 203, 216, 224
β-Endorphin 229
Endothelin-1 81
Endothelium 29, 93, 149
Endothelium-dependent relaxation 405
Endothelium-derived hyperpolarizing factor 380
Erectile dysfunction, incidence of 101
2-Ethyl-5,7-dimethyl-3-[[2'-(1*H*-tetrazol-5-yl)[1,1'-biphenyll]-4-yl]methyl]-3*H*-imidazo[4,5-B]pyridine (L-158,809) 192
3-Ethyl-3-(ethylaminoethyl)-1-hydroxy-2-oxo-1-triazene (NOC12) 64
Evodiae Fructus 267
Experimental periodontitis 176

c-Fos 309
Free radical 157
Functional bowel disorder 133

G protein 282, 229
GABA 388
GABA receptor 388
Ganglion, intracardiac parasympathetic 249
Ganglion cell, retinal 44
Gastric artery 380
Gastric fundus, longitudinal muscle of porcine 395
Gastric mucosal lesion 1
Gastric smooth muscle 356
Gene therapy 327
Gene transfer 327
Gingival overgrowth 235
Glomeruli 373
Gluconeogenesis 274
Glucose intolerance 274
Glycogen 274
Glutamate receptor, metabotropic 85
Glutamate receptor subtype, inotropic 44
Glycogen metabolism 274
Growth factor 93
[^{35}S]GTPγS binding 229, 282
Guanylate cyclase 72
Guanylate cyclase, soluble (sGC) 395

Hemolysis, red blood cell 142
Herbal medicine, Japanese 164
HNS-32 (azulene-1-carboxamidine derivative: N^1,N^1-dimethyl-N^2-(2-pyridylmethyl)-5-isopropyl-3,8-dimethylazulene-1-carboxamidine) 316
Hormone 337
HPP^+ (4-(4-chlorophenyl)-1-[4-(4-fluorophenyl)-4-oxobutyl]pyridinium ion) 426

5-HT 242
5-HT receptor 113, 349, 405
5-HT_{1A} receptor 89
5-HT_{2A} receptor 89
5-HT_3 receptor 242
Hydrophilic polymer 133
β-Hydroxybutyrate 36
6-Hydroxydopamine (6-OH-DA) 422
20-Hydroxyecdysone 44
9-Hydroxyellipticine 21
7-Hydroxy-*N,N'*-di-*n*-propyl-2-amino-tetralin (7-OH-DPAT) 309
1α-Hydroxyvitamin D_3 255

Immunocytochemistry 203
Immunohistochemistry 149, 235
Incidence of erectile dysfunction 101
Indomethacin 1
Inducible nitric oxide synthase 157
Infarct size 120
Inotropic glutamate receptor subtype 44
Intracardiac parasympathetic ganglion 249
Ipecac syrup 113
Irritable bowel syndrome 133
Ischemia 21
Ischemia, transient 36
Ischemia, permanent 36
Ischemia-reperfusion 120

Japanese herbal medicine 164

K^+ channel 366
K^+ channel, ATP-sensitive 171
K^+ channel, Ca^{2+}-activated 53
K^+ channel opener 53
Kampo 164

L-158,809 (2-ethyl-5,7-dimethyl-3-[[2'-(1*H*-tetrazol-5-yl)[1,1'-biphenyll]-4-yl]methyl]-3*H*-imidazo[4,5-B] pyridine) 192
L-765,314 (L-765,314 hydrochloride: 4-amino-2-[4-[1-(benzyloxycarbonyl)-2(*S*)-[[(1,1-dimethylethyl)amino]carbo-nyl]-piperazinyl]-6,7-dimethoxyquinazoline]) 429
L-type Ca^{2+} channel 356, 395
Lipopolysaccharide 157, 176
Liver 267, 274
Liver microsome, rat 164
Longitudinal muscle of porcine gastric fundus (LM-PGF) 395

Medullasin 235
Membrane potential 366
Mesaconitine 380
Metabotropic glutamate receptor 85
Metal ion 296
Methamphetamine sensitization 85
3-Methoxynaltrexone 221
Microarray 413
Middle cerebral artery occlusion 36
Mitochondria 53
Moguisteine 171
Morphine 422
Motivational effect 224
Muscarinic acetylcholine receptor m2 subtype 282
Muscarinic M_5 receptor 356

Naloxonazine 221
Neuropathic pain 203
Neurotransmitter 337
NG108-15 cell 296, 302
Nicotine 197
Niflumic acid 373
Nitric oxide 29, 64
Nitric oxide donor 126
Nitric oxide synthase 327
Nitric oxide synthase, inducible 157
S-Nitroso-L-cysteine (cysNO) 395
Nitroxidergic (nitrergic) nerve 197
NOC12 (3-ethyl-3-(ethylaminoethyl)-1-hydroxy-2-oxo-1-triazene) 64
Nonselective cation current 296
Nordihydroguaiaretic acid 53
Northern blot 309
NS-398 (*N*-2-(cyclohexyloxy-4-nitro-phenyl) methane sulfonamide) 373
Nuclear factor-κB 81

6-OH-DA (6-hydroxydopamine) 422
7-OH-DPAT (7-hydroxy-*N,N'*-di-*n*-propyl-2-aminotetralin) 309
κ-Opioid receptor 224
μ-Opioid receptor 203, 216, 221, 224, 229
Organ culture 93
Osteoporosis 255
Ovariectomy 255

$P2X_7$ receptor 296, 302
Pain 184
Pain, neuropathic 203
Pain control system, descending 216
Pancreas 290
Parasympathetic ganglion, intracardiac 249
Patch clamp 44
PC12 cell 302
Periodontal disease 176
Periodontitis, experimental 176
Peripherally acting non-narcotic antitussive drug 171
Perivascular nerve electrical stimulation 188, 429
Permanent ischemia 36
Phenolamine 101
Phenytoin 235
Placebo controlled study in Japan 7
Plasma lipid 142
Polycarbophil 133
Potassium channel 366
Proliferation 93
Protease-activated receptor-2 184
Protein, aggregated 373
Protein kinase inhibitor 72
Protein phosphatase inhibitor 72
Proteinase, serine 235
Pulmonary vasculature 197

QT interval 192

Receptor autoradiography 349
Red blood cell hemolysis 142
Reperfusion 21
Retinal ganglion cell 44
Rofecoxib 1
Rutaecarpine 267
Ryanodine receptor 21
Ryanodine-sensitive Ca^{2+} channel 395

Sarpogrelate 405
Serine proteinase 235
Serotonin 242
Sertoli cell 413
Sildenafil 101
Smooth muscle 93
Smooth muscle, coronary artery 53
Smooth muscle, gastric 356
Soluble guanylate cyclase (sGC) 395
Spontaneously hypertensive rats 388
Sprenic artery, dog 188
Stomach 126
Structure-activity relationship 7
Suncus 324
Sympathetic nerve 388
Synapse 209

Tachycardia 242
Thoracic aorta, rat 29
α-Tocopheryloxybutyric acid 417
Toluene 282
Transcription factor 337
Transient ischemia 36
Trypsin inhibitor 290
Tumor necrosis factor-α 81

Urinary bladder, guinea pig 349

Vascular tone 149
Vasopressin 324
Vasorelaxation 29, 380
Vomit 324

Wu-chu-yu-tang 267

Z-338 (*N*-(*N'*-*N'*-diisopropylaminoethyl)-[2-(2-hydroxy-4,5-dimethoxybenzoyl-amino)-1,3-thiazole-4-yl]carboxy-amide monohydrochloride trihydrate) 356